

U. S. Department of Labor
Occupational Safety and Health Administration

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of our knowledge. Windsor Beauty Supply assumes no legal responsibility for use or reliance upon this data.

Identity (As Used On Label and List) – Vanish Color Corrector Component # 2

SECTION I

Manufacturer's Name – Windsor Beauty Supply	Emergency Telephone Number - (248)474-2600
Address 24280 Middle Belt Rd	Telephone Number for Information (248)474-2600
Farmington Hills, Michigan 48336	Date Prepared – 07/25/2011

Chemical Family - Mixture
Product Use – Color Corrector

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits				
Specific Chemical Identity: Common Name(s) T.L.V. Recommended %Optional	C.A.S. #	LD50, Route	LC50, Route	C	D
Citric Acid	NAV	77-92-9	11,700 MG/KG RAT-ORAL	NAV	< 13

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point - NAV	Specific Gravity (H ₂ O=1) 1.04 – 1.05
Vapor Pressure - ND (mm Hg.)	Melting Point NA
Vapor Density – N A (AIR=1)	Evaporation Rate NAV (H ₂ O=1)
pH @ 25 C 1.60 – 1.90	
Physical State: Liquid	Soluble in water

Appearance and Odor – Cloudy and Colorless

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - NAP (PMCC) Not flammable. Flammable Limits - NA LFL - NA UFL - NA
(Method Used)

Extinguishing Media - Waterfog, Foam, Dry Chemical, CO₂

Hazardous Combustion products- Oxides of carbon (CO, CO₂).

Special Fire Fighting Procedures - Small fires: water fog, carbon dioxide, dry chemical. Large fires: Use water spray or alcohol type foam.

Unusual Fire and Explosion Hazards - Keep away from high temperatures, open flames or other sources of ignition.

ND: NOT DETERMINED

NA: NOT APPLICABLE

NAV: NOT AVAILABLE

IDENTITY (As Used on Label and Listed): Vanish Color Corrector Component # 2

SECTION V - REACTIVITY DATA

Stability Unstable _____ Conditions to Avoid
 Stable X Heat, open flames or other ignition sources.

Incompatibility (Materials to Avoid) – Acids, oxidizing agents. Acids yield SO₂ gas which is toxic & corrosive.

Hazardous Decomposition or Byproducts – Oxides of carbon (CO, CO₂) and sulphur (SO₂gas).

Hazardous Polymerization May Occur _____ Conditions to Avoid
 Will Not Occur X None

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry and Effects of Short-Term Exposure:

Skin: No health effects expected under normal conditions; may cause irritation after prolonged exposure.

Eye: Eye irritant-may cause redness and burning sensation.

Ingestion: May cause irritation in stomach if large quantities are ingested.

Inhalation: No health effects expected under normal conditions; may cause irritation to nose and throat if mist is inhaled.

Health Hazards (Acute and Chronic) - Eye irritant. Potential respiratory and skin irritant. May be toxic if ingested in large amounts.

Carcinogenicity: NTP? - NA IARC Monographs? - NA OSHA Regulated? - NA

Signs and Symptoms of Exposure - NAV

Medical Conditions Generally Aggravated by Exposure - None

Emergency and First Aid Procedures

Skin: If irritation does occur, remove contaminated clothing and flush skin with lukewarm, gently flowing water for 5 minutes or until contaminate is removed.

Eyes: Immediately flush eyes with lukewarm, gently flowing water while holding eyelids apart for 15 minutes or until the contaminant is removed. Obtain medical advice immediately.

Ingestion: Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Have victim rinse mouth thoroughly with water. Do not induce vomiting. Have victim drink water (240-300 ml) to material in stomach. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Repeat administration of water. If large quantities swallowed, obtain medical attention immediately.

Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice if symptoms persist. Contact local Poison Control Center for additional information.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled – If necessary, contain spill by diking with absorbent material. Place recovered material in suitable, labeled container. Flush area with plenty of water. Caution should be exercised as area will be slippery.

Waste Disposal Method - Disposal should be in accordance with all local, state and federal regulations.

Precautions to Be Taken in Handling and Storing – Handle in accordance with good industrial hygiene and safety practices. Store in cool, well-ventilated area. Avoid excessive heat.

Other Precautions - For external use only. Use only as directed.

IDENTITY (As Used on Label and Listed): Vanish Color Corrector Component # 2

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type) - Not required under normal condition of use.

Ventilation - Local Exhaust - N/A

Special - N/A

Mechanical (General) - Recommended

Other - N/D

Protective Gloves – Rubber/latex

Eye Protection – Approved Safety glasses.

Other Protective Clothing or Equipment - For manufacturing operations, wear protective clothing.

Work/Hygienic Practices - Always follow good hygienic practices. Avoid all contact with skin, eyes and clothing.

